## Basic supplies.

- 1 box of 1/2"x 30-gauge needles or 1/2"x 27 gauge (I mostly use these for injection in hand, wrist, neck and across shoulders to T1 or T2 or areas you don't need a deeper insertion.
- 1 box of 1 1/2"x 27g needles (can use this on most areas except deeper insertions, is only slightly flexible, and less uncomfortable for insertion)
- **1 box 1"x 22-gauge needles** (use to draw from any vial or ampules of injectable, it's easier & quicker to draw as it is a larger gauge needle, 1" is ample for length
- 1 box 1 1/4" x 27g. And/or 1box 1 1/2" x 27g needles for Trigger Point

  Sharps container, gloves, iodine
- **1 box 3cc (3mL) syringes** is a perfect size if just using homeopathic (with or without some lidocaine) since ampules are 2.2cc. This is good for AIT.
- **1 box 5cc (5mL) syringes** (gives more flexibility and solution for multiple injection sites, but is harder to inject with smaller gauge needles, requires more thumb pressure to move solution through needle) AIT, Trigger Point, & subcutaneous perineural Injections
- 1 box 1cc syringes for Intradermal, if doing constitutional or facial

I personally have found the brand names "BD" (higher quality, smoother insertion and much more expensive for 1/2 and 1" 30 gauge) and "Excel" to be easier to work with. The bevel on the needles are easier to insert and the syringes are easier to work. If I didn't give a specific code and just requested sizes of syringes or needles, they will send their brand or a cheaper quality brand. Best to specify unless you want to take your chances

.....

## Injectable solutions:

**Homeopathics like Traumeel & Zeel** (there are other great solutions from Heel and also from Guna depending upon who you order from

**B12**, (hydroxocobalamin or methylcobalamin) cyanocobalamin has a cyanide molecule that the body has to figure out how to get rid of.

## Lidocaine or Procaine (If available)

If you want to do prolotherapy or perineural Therapy You may also consider **Sodium Chloride 8-9%** 

Dextrose 5% - Called D5W. Higher concentration is dangerous for muscles and soft tissue. {Do NOT buy 50% Dextrose until you have mastered techniques from this class. dextrose 50% is mostly used in Prolotherapy and intra articular.}